




This document has been promulgated by the Department of Defense as the military standard to limit the selection of the item, product or design covered herein in engineering, design and procurement. This standard shall become effective not later than 90 days after the latest date of approval shown.

FED SUP CLASS

5940



| DASH NO. | FINN | WIRE SIZE AWG NOM | STUD SIZE | A HOLE DIA | | B | C | D | E | F | G | H ± .003 | J | K |
|----------|----------|-------------------|-----------|------------|------|------|-----|-------|------|-------|------|-------------|------|-----|
| | | | | MIN | MAX | | | | | | | | | |
| 1 | 151-9380 | 10 | 8 | .167 | .179 | 3/16 | 3/8 | 2-1/4 | 3/16 | 1-3/4 | 3/16 | .032 | 7/8 | 1/4 |
| 2 | 151-9375 | | 10 | .193 | .205 | | | 1-3/8 | | 7/8 | | | 5/16 | |
| 3 | 151-9377 | | 1-5/8 | 1-1/8 | 1/2 | | | | | | | | | |
| 4 | 151-9376 | | 1-1/2 | 1 | 5/16 | | | 5/16 | | | | | | |

MATERIAL: COPPER, ANNEALED - SPECIFICATION QQ-C-576.

FINISH: HOT TIN DIP OR ELECTRODEPOSITED TIN ALL OVER, MINIMUM THICKNESS .0005 INCHES.

- NOTES:**
1. ALL DIMENSIONS IN INCHES. TOLERANCES FRACTIONAL $\pm 1/64$ UNLESS OTHERWISE SPECIFIED.
 2. REMOVE ALL BURRS.
 3. REFERENCED DOCUMENTS OF ISSUE IN EFFECT ON DATE OF INVITATION FOR BIDS SHALL APPLY.
 4. THE MS PART NUMBER CONSISTS OF THE MS NUMBER PLUS THE DASH NUMBER.

APPROVED 5 July 55 REVISED A 23 July 56

CUSTOMERS

Ordnance
USAF

OTHER INT

1- S18 TE
1- A On Y
U-

MILITARY STANDARD
TERMINAL, LUG, SOLDER TYPE,
COPPER STAMPING, TWO HOLE

MS35444

PROCUREMENT SPECIFICATION

MIL-T-35444

SUPERSEDED:

SHEET 1 OF 1

DD FORM 1 OCT 51 672-1

NOTICE: When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, and no warranty, expressed or implied, and the fact that the Government name appears thereon shall not be regarded as an endorsement, approval, or recommendation of the product or the quality thereof.