

USER SYMBOLS:
ARMY - MI

REVIEWER SYMBOLS:
AIR FORCE - 80
ARMY - EL

"Review/user information is current as of the date of this document. For future coordination of changes to this document, draft circulation should be based on the information in the current DODISS."

This military standard is approved for use by all Departments and Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document.




TABLE I

DASH NO.	A	B	C ± .003	FOR USE WITH
-1	.144 .154	.470 .490	.020	MS27212-1
-2	.190 .209	.600 .620	.020	MS27212-2
-3	.255 .275	1.070 1.090	.020	MS27212-3
-4	.318 .338	1.070 1.090	.020	MS27212-4
-5	.380 .400	1.070 1.090	.020	MS27212-5
-6	.187 .187	.540 .560	.020	MS27212-6

REQUIREMENTS:

1. MATERIAL: STEEL, CORROSION RESISTING, TYPE 304 AS DEFINED IN QQ-S-766..
2. PROTECTIVE COATING: PASSIVATED IN ACCORDANCE WITH QQ-P-35.
3. DIMENSIONS IN INCHES.
4. REMOVE ALL BURRS AND BREAK SHARP EDGES.
5. PART NUMBER. THE MS PART NUMBER CONSISTS OF THE MS NUMBER PLUS A DASH NUMBER FROM TABLE I

EXAMPLE: MS14151-1

FOR DESIGN FEATURE PURPOSES, THIS STANDARD TAKES PRECEDENCE OVER PROCUREMENT DOCUMENTS REFERENCED HEREIN. REFERENCED DOCUMENTS SHALL BE OF THE ISSUE IN EFFECT ON DATE OF INVITATIONS FOR BID.

APPROVED 16 JULY 1973 REVISED

P.A. NAVY - AS Other Cust AIR FORCE - 82 ARMY - WC	TITLE WASHER, FLAT, ROUND, CORROSION RESISTING STEEL (FOR ELECTRICAL APPLICATIONS)	MILITARY STANDARD	
		MS 14151	
PROCUREMENT SPECIFICATION FF-W-92	SUPERSEDES:	SHEET	OF
		1	1

FOLD

DEPARTMENT OF THE NAVY
Naval Air Engineering Center
Philadelphia, PA 19112

OFFICIAL BUSINESS

POSTAGE AND FEES PAID
DEPARTMENT OF THE NAVY
DOD 316



Engineering Specifications and Standards Department (Code ES)
Naval Air Engineering Center
Philadelphia, PA 19112

FOLD