

TABLE I. DASH NUMBERS AND DIMENSIONS.

Ø B SOLE	Ø C GROOVE	Ø A OUTSIDE	GROOVE WIDTH G											
			.062		.094		.125		.188		.250			
			DASH NO	F	DASH NO	F	DASH NO	F	DASH NO	F	DASH NO	F		
.125	.188	.312	140	.188										
.125	.250	.344	1	.188	142	.218								
.125	.375	.500			143	.312								
.125	.562	.750	2	.188			31	.250	60	.312	89	.375		
.125	1.000	1.250	3	.250			32	.312	61	.375	90	.438		
.188	.312	.438	4	.188	144	.250	33	.250	62	.312	91	.375		
.188	.562	.750	134	.188	145	.468	137	.250	138	.312	139	.375		
.188	.625	.875	5	.188			34	.250	63	.312	92	.375		
.250	.438	.562			146	.219								
.250	.438	.625	6	.188			35	.250	64	.312	93	.375		
.250	.750	1.000	7	.250			36	.312	65	.375	94	.438		
.250	1.000	1.250	8	.250			37	.312	66	.375	95	.438		
.312	.562	.812	9	.312			38	.375	67	.438	96	.500		
.312	.750	1.000	10	.312			39	.375	68	.438	97	.500		
.312	.812	1.062	118	.312			122	.375	136	.438	130	.500		
.375	.500	.641			147	.250								
.375	.500	.656	141	.250										
.375	.625	.875	11	.312			40	.375	69	.438	98	.500		
.375	1.000	1.250	12	.250	148	.281	41	.312	70	.375	99	.438		
.438	.688	.938	13	.312			42	.375	71	.438	100	.500		
.500	.750	1.000	149	.250	150	.281								
.500	.812	1.062	14	.312			43	.375	72	.438	101	.500		
.500	1.250	1.500	15	.250			44	.312	73	.375	102	.438		
.562	.812	1.062	16	.312			45	.375	74	.438	103	.500		
.625	.875	1.125	17	.312	151	.344	46	.375	75	.438	104	.500		
.625	.969	1.250			152	.438								
.625	1.250	1.500	18	.250			47	.312	76	.375	105	.438		
.688	1.000	1.312	19	.375	153	.406	48	.438	77	.500	106	.562		
.750	1.062	1.375	20	.375	154	.312	49	.438	78	.500	107	.562		
.750	1.250	1.625	135	.250			123	.312	127	.375	131	.438		
.750	1.438	1.812	21	.375			50	.438	79	.500	108	.562		
.750	1.625	2.000	120	.375			124	.438	128	.500	132	.562		
.875	1.125	1.500			155	.344								
.875	1.250	1.625	22	.438			51	.500	80	.562	109	.625		
.875	1.625	2.000	121	.438			125	.500	129	.562	133	.625		
1.000	1.375	1.750	23	.438	156	.375	52	.500	81	.562	110	.625		
1.000	1.875	2.250	24	.438			53	.500	82	.562	111	.625		
1.250	2.375	2.750	25	.438			54	.500	83	.562	112	.625		
1.250	2.500	2.875	26	.438			55	.500	84	.562	113	.625		
1.500	1.750	2.125	27	.438			56	.500	85	.562	114	.625		
1.500	2.750	3.250	28	.438			57	.500	86	.562	115	.625		
1.750	3.250	3.750	29	.500			58	.562	87	.625	116	.688		
2.000	3.500	4.000	30	.500			59	.562	88	.625	117	.688		

Ⓟ DENOTES CHANGES

INCH - POUND

P A ARMY - AR Other Cont NAVY - OS AIR FORCE-99	INTERNATIONAL INTEREST	TITLE GROMMETS, SYNTHETIC AND SILICONE RUBBER, HOT-OIL AND COOLANT RESISTANT	MILITARY STANDARD	
			MS35489	
PROCUREMENT SPECIFICATION MIL-G-3036	SUPERSEDES MS35490 AND AN931	PAGE 1 OF 3		

USER ACTIVITIES
NAVY - AS, EC, MC, SA, YD

REVIEWER ACTIVITIES
ARMY - EA, ER, GL, MI
AIR FORCE - 82
NSA - NS
DLA - IS

DISTRIBUTION STATEMENT A Approved for public release; distribution is unlimited.
This military standard is approved for use by all Departments and Agencies of the Department of Defense.
Selection for all new engineering and design applications and for repetitive use shall be made from this document when applicable.

APPROVED 12 MAR 56 REVISED 2 OCT 65 (J) 17 FEB 69


USER ACTIVITIES
NAVY - AS, EC, MC, SA, YD

REVIEWER ACTIVITIES
ARMY - EA, ER, GL, MI
AIR FORCE - 82
NSA - MS
DLA - IS

REQUIREMENTS:

- MATERIAL:** RUBBER, SYNTHETIC, COMPOSITION A, IN ACCORDANCE WITH PROCUREMENT DOCUMENT, RUBBER, SILICONE, COMPOSITION B, IN ACCORDANCE WITH PROCUREMENT DOCUMENT.
- COLOR:** BLACK (COMPOSITION A). RED OR ORANGE (COMPOSITION B).
- PART NUMBER:** THE PART NUMBER SHALL CONSIST OF THE BASIC MS NUMBER FOLLOWED BY A DASH NUMBER FROM TABLE I, PLUS A MATERIAL CODE LETTER "X" FOR SILICONE RUBBER, NO CODE LETTER FOR SYNTHETIC RUBBER.

EXAMPLE: MS35489-14X



MS35489-14X INDICATES - GROMMET, SILICONE RUBBER, HOT-OIL AND COOLANT RESISTANT;
GROOVE WIDTH .062; HOLE DIAMETER .500; GROOVE DIAMETER .812;
OUTSIDE DIAMETER 1.062; THICKNESS .312.

NOTES

- ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE SPECIFIED.
- SUPPRESSION:** REPLACEMENT PART NUMBER RELATIONSHIPS SHALL BE IN ACCORDANCE WITH TABLE II. CANCELLED MS35490 GROMMETS MAY BE USED TO REPLACE MS35490 GROMMETS UNTIL EXISTING STOCKS ARE DEPLETED. DO NOT USE MS35490 GROMMETS TO REPLACE MS35489 OR AN931 GROMMETS. AN931 GROMMETS AND SUPERSUCCESSING MS 35489 GROMMETS ARE UNIVERSALLY, FUNCTIONALLY AND DIMENSIONALLY INTERCHANGEABLE.
- IN THE EVENT OF A CONFLICT BETWEEN THE TEXT OF THIS STANDARD AND THE REFERENCES CITED HEREIN, THE TEXT OF THIS STANDARD SHALL TAKE PRECEDENCE.
- REFERENCED GOVERNMENT (OR NONGOVERNMENT) DOCUMENTS OF THE ISSUE LISTED IN THAT ISSUE OF THE DEPARTMENT OF DEFENSE INDEX OF SPECIFICATIONS AND STANDARDS (DODISS) SPECIFIED IN THE SOLICITATION FORM A PART OF THIS STANDARD TO THE EXTENT SPECIFIED HEREIN.
- GROMMETS PREVIOUSLY PROCURED WITH A SPLIT (SUFFIX "S") ARE NO LONGER PROCURED OR STOCKED BY SERVICES. FOR REPLACEMENT USE SOLID GROMMETS, AND SPLIT AT ASSEMBLY.

DISTRIBUTION STATEMENT A Approved for public release; distribution is unlimited.
This military standard is approved for use by all Departments and Agencies of the Department of Defense.
Selection for all new engineering and design applications and for repetitive use shall be made from this document when applicable.

APPROVED 12 MAR 56 REVISED (J) FOR CHANGES SEE PAGES 1 AND 2

PA ARMY - AR Other Cust NAVY - OS AIR FORCE-99	INTERNATIONAL INTEREST	TITLE GROMMETS, SYNTHETIC AND SILICONE RUBBER, HOT-OIL AND COOLANT RESISTANT	MILITARY STANDARD	
			MS35489	
PROCUREMENT SPECIFICATION MIL-G-3036	SUPERSEDES MS 35490 AND AN 931	PAGE 2 OF 3		

DISTRIBUTION STATEMENT A Approved for public release; distribution is unlimited.
 This military standard is approved for use by all Departments and Agencies of the Department of Defense.
 Variation for all new engineering and design applications and for reprints use shall be made from this document unless applicable.

REVIEWER ACTIVITIES
 ARMY - EA, ER, GL, MI
 AIR FORCE - 82
 NSA - NS
 DLA - IS

USER ACTIVITIES
 NAVY - AS, EC, MC, SA, YD

P A ARMY - AR Other Cat NAVY - OS AIR FORCE - 99		INTERNATIONAL INTEREST	TITLE GROMMETS, SYNTHETIC AND SILICONE RUBBER, HOT-OIL AND COOLANT RESISTANT	MILITARY STANDARD MS35489
PROCUREMENT SPECIFICATION MIL - G - 3036	SUPERSEDES MS 35490 AND AN 931	PAGE 3 OF 3		

TABLE II. REPLACEMENT PART NUMBERS.

PART NUMBER				PART NUMBER				PART NUMBER				PART NUMBER			
CANCELLED AN931	CANCELLED MS35490	SUPERSEDED BY MS35489	CANCELLED AN931	CANCELLED MS35490	SUPERSEDED BY MS35489	CANCELLED AN931	CANCELLED MS35490	SUPERSEDED BY MS35489	CANCELLED AN931	CANCELLED MS35490	SUPERSEDED BY MS35489	CANCELLED AN931	CANCELLED MS35490	SUPERSEDED BY MS35489	
2-9	A2-9	25	A2-9	B2-9	31	B2-9	48	60	C2-9	71	89				
2-16	A2-16	26	A2-16	B2-16	32	B2-16	49	61	C2-16	72	90				
3-5	A3-5	27	A3-5	B3-5	33	B3-5	50	62	C3-5	73	91				
3-9	A3-9	28	A3-9	B3-9	137	B3-9	51	138	C3-9	74	139				
3-10	A3-10	29	A3-10	B3-10	34	B3-10	52	63	C3-10	75	92				
4-7	A4-7	30	A4-7	B4-7	35	B4-7	53	64	C4-7	76	93				
4-12	A4-12	31	A4-12	B4-12	36	B4-12	54	65	C4-12	77	94				
4-16	A4-16	32	A4-16	B4-16	37	B4-16	55	66	C4-16	78	95				
5-9	A5-9	33	A5-9	B5-9	38	B5-9	56	67	C5-9	79	96				
5-12	A5-12	34	A5-12	B5-12	39	B5-12	57	68	C5-12	80	97				
5-13	A5-13	35	A5-13	B5-13	122	B5-13	58	136	C5-13	81	130				
6-10	A6-10	36	A6-10	B6-10	40	B6-10	59	69	C6-10	82	98				
6-16	A6-16	37	A6-16	B6-16	41	B6-16	60	70	C6-16	83	99				
7-11	A7-11	38	A7-11	B7-11	42	B7-11	61	71	C7-11	84	100				
8-13	A8-13	39	A8-13	B8-13	43	B8-13	62	72	C8-13	85	101				
8-20	A8-20	40	A8-20	B8-20	44	B8-20	63	73	C8-20	86	102				
9-13	A9-13	41	A9-13	B9-13	45	B9-13	64	74	C9-13	87	103				
10-14	A10-14	42	A10-14	B10-14	46	B10-14	65	75	C10-14	88	104				
10-20	A10-20	43	A10-20	B10-20	47	B10-20	66	76	C10-20	89	105				
11-16	A11-16	44	A11-16	B11-16	48	B11-16	67	77	C11-16	90	106				
12-17	A12-17	45	A12-17	B12-17	49	B12-17	68	78	C12-17	91	107				
12-20	A12-20	46	A12-20	B12-20	123	B12-20	69	129	C12-20	92	133				
12-23	A12-23	47	A12-23	B12-23	50	B12-23	70	127	C12-23	93	131				
12-26	A12-26	48	A12-26	B12-26	124	B12-26	71	128	C12-26	94	108				
14-20	A14-20	49	A14-20	B14-20	51	B14-20	72	128	C14-20	95	132				
14-26	A14-26	50	A14-26	B14-26	52	B14-26	73	129	C14-26	96	109				
16-22	A16-22	51	A16-22	B16-22	53	B16-22	74	129	C16-22	97	110				
16-30	A16-30	52	A16-30	B16-30	54	B16-30	75	129	C16-30	98	111				
20-38	A20-38	53	A20-38	B20-38	54	B20-38	76	129	C20-38	99	112				
20-40	A20-40	54	A20-40	B20-40	55	B20-40	77	129	C20-40	100	113				
24-28	A24-28	55	A24-28	B24-28	56	B24-28	78	129	C24-28	101	114				
24-44	A24-44	56	A24-44	B24-44	57	B24-44	79	129	C24-44	102	115				
28-52	A28-52	57	A28-52	B28-52	58	B28-52	80	129	C28-52	103	116				
32-56	A32-56	58	A32-56	B32-56	59	B32-56	81	129	C32-56	104	117				

1/ MS35489 BILLED GROMMETS SHOULD BE REPLACED BY AN931 WITH INCREASED THICKNESS FOR REPLACEMENT OF MS35490 BILLED GROMMETS.

APPROVED 12 MAR 56 REVISED (J) FOR CHANGES SEE PAGES 1 AND 2